

Patch cord 2 metres and quick connection female IEC320-Schuko male plug Simon Electrical Wiring

REF. KTL8/14



BASIC INFORMATION

DESCRIPTION

The two patch cord and quick connection, part of the Simon series Cabling Material. With the reference KTL8 / 14. With a connector in the format female IEC320 and male plug with Schuko format. It has three poles. Its current is 10 AM and a voltage of 250V~ It is composed of metal elements with caking thermoplastic. It has a IEC format 60320 with Connector 13. Finished in graphite.

FINISH

Black

MATERIAL

Various

PACKAGING CONTENTS

2-metre patch cord

CABLING INSULATION MATERIAL

PVC (Polyvinyl chloride)

COMPATIBILITY

Module with IEC320 connector
artic K305A

ETIM CLASS

EC002587

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INPUT TYPE

Female

TYPE OF MECHANISM

Insertion

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

CURRENT (A)

10 A

NUMBER OF POLES

3

CONNECTOR TYPE

Air

IP RATING

IP20

RAL

7021

END A OF CABLING

C13 female IEC320 connector

KIT AVAILABILITY

No

STRAIN RELIEF FIXING

No

END B OF THE WIRING

Schuko male plug

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

IEC320 Female-Schuko Male

FORMAT

IEC 60320 C13 connector

VOLTAGE (V~)

250 V~

REGULATIONS

REGULATIONS

IEC 60320

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436039858

PRODUCT NET WEIGHT

0.23

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

1650000

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436039858

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.23

UNITARY PACKAGING VOLUME

1650000

PACKAGING HEIGHT

50

PACKAGING NET WEIGHT

0.23

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

220

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.23

PACKAGING LENGTH

150