
Push button 10A 250V~ with screw terminal connection system Simon 73

REF. **73150-39**



BASIC INFORMATION

DESCRIPTION

Push-button switch,10A 250V, with screw terminal connection from the Simon 73 Loft series. It has a rocker operation and offers the possibility of implementing signaling function via cradle blinking and rocker with viewer. It has one element and supports a cable section of 1.5 to 2.5 mm, with a wire stripping of 13 mm. It can be installed on surfaces with a temperature of between 5 and 40ºC, although it is capable of withstanding extreme temperatures of -25 to 50ºC, approximately. This model of push-button switch has been manufactured with metal components with halogen-free thermoplastic insulation. The Simon 73 Loft series gets the outstanding base in design and is perfect for installations surface-mounted and trunking with a minimum thickness. This series is made up of a range of products that offers great versatility, since it is quick to assemble, safe and aesthetic, in addition to having a wide range of functions for surfaces and baseboard trunking.

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 73 Loft and Simon 73 frames

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC000029

REMARKS

Possibility of implementing indicator function using a signal light support and rocker with viewer.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

No

IP RATING

IP20

TYPE OF MECHANISM

Pivoting

MONOBLOCK

No

NOMINAL VOLTAGE (V~)

250 V~

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
13

INSTALLATION TYPE
Suitable for surface mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
No aplica

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053255322

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.027

PRODUCT NET WEIGHT
0.027

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053028735

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
52

PACKAGING WIDTH
105

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1201200

PACKAGING VOLUME UNIT
MMQ


PACKAGING GROSS WEIGHT
0.28

PACKAGING NET WEIGHT
0.27


PACKAGING WEIGHT UNIT
KGM

MECANISMOS SIMON 73


Mecanismos básicos / Basic switches




Interruptor unipolar / Single-pole switch
73101-39




Pulsador / Push button switch
73150-39



Interruptor bipolar / Double pole switch
73131-39




Conmutador cruce / Intermediate switch
73251-39



Conmutador / 2-way switch
73201-39

Mecanismos con luminoso / Switces with light



Pulsador / Push button switch
73160-39