simon

Single rocker with bell symbol for push button aluminium Simon 82

REF. 82017-33



BASIC INFORMATION

FINISH MATERIAL PACKAGING CONTENTS

Aluminium Plastic Single rocker and fastening bracket

SYMBOL COMPATIBILITY

Bell Simon 75 and Simon 77 ETIM CLASS mechanisms EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.



simon

TECHNICAL INFORMATION

NUMBER OF POSSIBLE

ELEMENTS

1 element

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain

chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008



simon

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053257487

UNITARY PACKAGING GROSS

WEIGHT

0.025

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING LENGTH

0

PRODUCT NET WEIGHT

0.025

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME

UNIT

MMQ

UNITARY PACKAGING WEIGHT

UNIT

KGM

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053052365

PACKAGING GROSS WEIGHT

0.25

PACKAGING HEIGHT

82

PACKAGING LENGTH

223

PACKAGING NET WEIGHT

0.25

UNITS CONTAINED PACKAGING

10

PACKAGING MEASUREMENT

UNIT

MMT

PACKAGING VOLUME

1517738

PACKAGING VOLUME UNIT

MMQ

PACKAGING WEIGHT UNIT

KGM

PACKAGING WIDTH

83

