Angled voice and data plate without dust cover 1 element for 2 RJ45 graphite Simon 500 Cima

REF. **50000186-038**



BASIC INFORMATION

DESCRIPTION

The plate of voice and data plate without dust cover with 1 element for 2 RJ45 connectors according to combined MD module is part of the Simon 500 Cima series and has graphite finishes in. It has measures of 50x50x11 mm and 21 mm in thickness. And thanks to its manufacturing in halogen-free thermoplastic materials, our piece guarantees that no flame spread in case of fire, and low toxicity very if had any smoke. For its use, you need to be combined with a double Schuko socket outlet. Also, this plate has clips for fastening in vertical and horizontal enclosures without the need of adapter. The collection Simon 500 Cima presents the best solutions in the market for all homes, thanks to the that our products are equipped with components of the best quality, as well as forget of all and confident in our brand for your home in a place much safer.

FINISH

Graphite

PACKAGING CONTENTS

Angled voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

RAL
7021

RJ45 CONNECTORS
Not included in voice and data plate

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

SNAP-FIT RJ45 PLATES
Corresponding to combined MD module

DUST PROTECTION
No

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

SNAP-FIT TYPE
Corresponding to combined MD module

FORMAT
RJ45

NUMBER OF MODULES
1

VERSION
Single

PLATE TYPE
Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.012

PRODUCT NET WEIGHT
0.012

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095133

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1.472

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.24

PACKAGING WEIGHT UNIT
KGM


50
50
5
11
10