

## Single rocker with viewer and bell symbol champagne Simon 82

REF. 82015-34



## BASIC INFORMATION

### DESCRIPTION

With the individual rocker with bell engraving of the Simon 82 collection, mark its electric mechanism with a design that is integrated into all types of spaces of style functional. Its finishes in a stylish champagne colour and with a size of 55 x 55 mm, it is the perfect balance between design, innovation and functionality. Composed of galvanized thermoplastic materials, it protects the room in case of fire, reaching a temperature range of 5 to 40 ° C, with maximum temperatures of -25 and 50 °C. Its installation is suitable for recessed or surface-mounted, maximizing the possibilities both aesthetic and technical and functional for adapting the mechanism adapted to their needs. Also, and to provide greater versatility, it is available in 6 different finishes to choose the combination more according to the ambience and style of your room. Simon 82 recommended to use the frame in the same tone as the baseboard of rocker to achieve the perfect of design.

### FINISH

Champagne

### MATERIAL

Plastic

### PACKAGING CONTENTS

Single rocker and fastening bracket

### SYMBOL

Bell

### COMPATIBILITY

Simon 75 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

Yes

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.02

### PACKAGING MEASUREMENT

UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT

UNIT

KGM

### PACKAGING VOLUME

597780

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053052297

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING VOLUME

3026595

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0.1

### UNITARY PACKAGING VOLUME

UNIT

MMQ

### PACKAGING HEIGHT

81

### PACKAGING NET WEIGHT

0.1

### UNITARY PACKAGING GROSS

WEIGHT

0.02

### PACKAGING WIDTH

82

### PACKAGING WEIGHT UNIT

KGM

### PACKAGING LENGTH

90