Adaptor plate for Simon K45 mechanisms for 1 element graphite Simon 500 Cima

REF. **50012088-038**



BASIC INFORMATION

DESCRIPTION

Adaptor plate for Simon K45 mechanisms, for one element, finished in graphite colour and belonging to the Simon 500 Cima series. This reference allows to adapt almost the total amount of solutions of the range Simon K45. We recommend that you check the reference of the range K45 to install in the product catalogue of the range of Simon 500 Cima. Complies with the regulation European UNE-EN 60670-1: 2006 and can be installed in surface-mounted and recessed way, reaching to support more than 60 ° C in the installation wall surface-mounted and more than 90 ° C in flush installation in wall. It measures 50 x 50 x 10,7 mm and is manufactured in thermoplastic, it is a material that presents a cleaning is very simple, as only vas to need to use a soft and dry cloth without resorting to the never use cloths or abrasive cleaners that contain chlorine in its formula.

FINISH

Graphite

COMPATIBILITY

Simon K45 mechanisms

ETIM CLASS

EC002649

MATERIAL

Plastic

PACKAGING CONTENTS

Adaptor plate for Simon K45 mechanisms for 1 element

REMARKS

This article can be used to adapt practically all the solutions in the Simon K45 range. We suggest looking in the Simon 500 Cima range product catalogue for the product reference of the k45 range to install.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

3 finishes:white, graphite and aluminium

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

RAL

7021

VERSION

1 element

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

By direct snap-fit in the selected enclosure (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface or flush-mount installation

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053254752

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.01

PRODUCT NET WEIGHT
0.01

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095744

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.09

PACKAGING NET WEIGHT
0.1

PACKAGING WEIGHT UNIT
KGM


50
50
21,1
9,62