Variable external angle accessory for Cablomax trunking 210x55mm PVC

REF. **TKA002216/9**



BASIC INFORMATION

DESCRIPTION

Accessory for Cablomax PVC duct 210x55 mm. Adapts the duct to external bends between 65º and 95º between two planes. Manufactured with high-quality thermoplastic materials and in a white finish for proper integration with the duct.

FINISH	MATERIAL	ETIM CLASS
White	PVC	EC000872

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION
07

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

REMOVAL OF COVER
Only with tool

REMOVAL OF THE FRAME
Only with tool

INSTALLATION TYPE
On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436028845

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
2949750

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.183

PRODUCT NET WEIGHT
0.183

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436028845

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
95

PACKAGING WIDTH
135

PACKAGING LENGTH
230

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2949750

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.183

PACKAGING NET WEIGHT
0.183

PACKAGING WEIGHT UNIT
KGM