

Downlight 706.21 Flush mount WW Flood White

REF. 70621030-383



BASIC INFORMATION

DESCRIPTION

Downlight 706.21 with FLOOD optics and light neutral colour LED (NW). It is a product of indoor lighting of the series Simon 706. It is category A and its temperature of the colour is of 3100 K. It has 900 lumens to 15 W power. The power supply is 100-240 V and its frequency of 50 / 60 Hz. This Downlight commitment to a perfect finish is white in colour, that integrates seamlessly into any space, without clash in no way with the decoration chosen for the place. It also offers a great functionality and a truly high light output. The electric control of the Downlight is performed by ON-OFF and withstands temperatures really high, up to + 40 degrees centigrade. Must be installing flush-mounted into the ceiling. Its luminaire weight exactly 0.3 kilos and measures 110 x 82 millimetres, which makes it a product really compact and high quality.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

900 lm/15W

IP RATING

IP44

ELECTRICAL CLASS

Type 2

OPTICS

Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15 W

COLOR TEMPERATURE (K)

3100 K

COLOR TYPE

WW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

60 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

900 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

180

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.502

PRODUCT NET WEIGHT

0.502

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053121986

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

135

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2.825

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.502

PACKAGING NET WEIGHT

0.502

PACKAGING WEIGHT UNIT

KGM