

# RJ45 connector IT AMP® category 6 UTP double with adapter Simon 100

REF. 10002544-039



## BASIC INFORMATION

### DESCRIPTION

Fast and efficient connections thanks to the RJ45 ports of the computer connector, compatible with AMP, category 6 UTP double and with adapter included in the Simon 100 collection. To ensure the best possible connection quality, computing anywhere in the home or the workplace is the priority of this range, which, thanks to compact designs and a minimalist style, guarantees the integration of the whole in compact spaces and which provides the best and most efficient solutions of work. This Category 6 UTP RJ45 connector, it is designed for flush installation with a total of 2 connectors that take up minimum space and maximize the functionality of the set. It is made of metallic materials with insulated halogen-free thermoplastics, which prevent flame spread and smoke toxicity in the event of fire and allow the connector to reach a temperature range of 5 to 40 ° C and maximum temperatures from -25 to 50 ° C. Functionality, innovation and optimal working solutions are united in this connector which, in addition, protects your room and brings style thanks to Simon 100.

### COMPATIBILITY

Keystone and Avaya Connectors

### PACKAGING CONTENTS

Double AMP® RJ45 connector and adapter

### ETIM CLASS

EC000018

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### REVISION

Category 6

### CONNECTOR TYPE

RJ45

### NUMBER OF POSSIBLE ELEMENTS

Half element

### FORMAT

RJ45

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

Unique

## INSTALLATION AND MAINTENANCE

### CLAW

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for flush mounting

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50173-1:2011 + EN 50581:2012 + IEC 60603-7-4:2010

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

PACKAGING EAN  
8421053145838

PACKAGING VOLUME  
887250

UNITARY PACKAGING LENGTH  
0

UNITS CONTAINED PACKAGING  
5

PACKAGING VOLUME UNIT  
MMQ

UNITARY PACKAGING VOLUME  
0

PACKAGING HEIGHT  
65

PACKAGING GROSS WEIGHT  
0.15

UNITARY PACKAGING GROSS  
WEIGHT  
0.03


PACKAGING WIDTH  
70

PACKAGING NET WEIGHT  
0.15

PRODUCT NET WEIGHT  
0.03

PACKAGING LENGTH  
195

PACKAGING WEIGHT UNIT  
KGM



Para información más detallada consultar la hoja de instrucciones  
For more detailed information check the instruction sheet