

Push-button switch with bell symbol 10A 250V~ and fast terminal connection system aluminium Simon 31

REF. 31650-33



BASIC INFORMATION

DESCRIPTION

With a discreet bell engraved, the push-button switch of the collection Simon 31 with finishes in stylish aluminium, guaranteeing the integration of the set in spaces, adding a compact sophisticated style with a certain nod original. Made of metal materials with thermoplastic isolated, protecting the room in case of fire, avoiding the flame spread and toxicity by smoke. It consists of 2 modules for 1 element, compatible with power supplies of 250 Volt and 10 Amps. The push-button switch with bell engraving, it includes rocker operation system and is designed for installation with quick terminal connection to minimize the time of the assembly, at the same time to maximize the versatility and functionality of the product. Once again, the collection Simon 31 becomes synonymous with functionality, innovation and security inside the most practical and stylish design.

FINISH

Aluminium

PACKAGING CONTENTS

Mechanism with rocker

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

REMARKS

Available in 5 finishes. It is recommended to choose a frame the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053071830

PACKAGING VOLUME
3.027

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0.79

UNITARY PACKAGING GROSS
WEIGHT
0.079

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.79

PRODUCT NET WEIGHT
0.079

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM