Push button momentary 10A 250V~ with quick terminal connection system Simon 360

REF. **36010150-039**



BASIC INFORMATION

DESCRIPTION

Push button 10A 250V~ with quick terminal connection system from the Simon 360 series. The push mechanism allows all keys to be aligned in any configuration. Pleasant to the touch, sound, and visual balance.

MATERIAL

Plastic,Metal

COMPATIBILITY

Molduras Simon 360

ETIM CLASS

EC000029

TECHNICAL INFORMATION

NUMBER OF CONTACTS
2

FORMAT
Push-button

FREQUENCY
50 - 60 Hz

INDICATOR FUNCTION
No

CURRENT (A)
10 A

IP RATING
IP20

LINKABLE
No

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

POWER SUPPLY (V~)
127/230 V~

RECESS DIMENSION (MM)
40

VOLTAGE (V~)
127/230 V~

NUMBER OF WIRES
2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
15

CLAW
Simon 27

REMOVAL OF COVER
Only with tool

INSTALLATION DIRECTION
Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053438381

UNITARY PACKAGING HEIGHT
81

UNITARY PACKAGING WIDTH
44

UNITARY PACKAGING LENGTH
81

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
288684

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.058

PRODUCT NET WEIGHT
0.05

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053438398

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
85

PACKAGING WIDTH
168

PACKAGING LENGTH
225

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
3213000


PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.664

PACKAGING NET WEIGHT
0.5

PACKAGING WEIGHT UNIT
KGM


L
N


74 mm
74 mm
26 mm
40 mm