

Downlight 725.23 Flush mount WW General White

REF. 72523030-983



BASIC INFORMATION

DESCRIPTION

Are you looking for uniform general lighting? Simon offers you this model Downlight 725.23 WW GENERAL. A flush-mounted advance luminaire designed for interiors, achieving a high visual comfort and light general perfect for transit areas, corridors, offices, etc. A product very little power consumption, as with only 14 Watts achieves 1200 lumens of intensity. Its system of general optics enables you to what extent light rays are distributed in a uniform manner throughout the whole room. It is a stand-alone finished in white, designed to blunt. It has dimensions of 166 x 51 millimetres and a weight of 500 g. Its control system is the ON-OFF with a service life of the luminaire 30,000 hours. It offers a warm light of 3100° Kelvin of a constant and without vibration. Are increasingly which you choose the installation of Simon products LED due to its great energy savings, its stylish design, the quality and durability of the materials.

APPLICATION

General lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

1200 lm

IP RATING

IP20

ELECTRICAL CLASS

Type 1

LUMENS/W

1200 lm/14W

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

Yes

OPTICS

General

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3100 K

LIGHT BEAM APERTURE ANGLE (°)

120°

POWER (W)

14 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

86 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Surface

INSTALLATION TYPE

Flush mount

MINIMUM INSTALLATION HEIGHT

101

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Quick connector

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053116821

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.512

PRODUCT NET WEIGHT

0.512

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053116821

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

80

PACKAGING WIDTH

195

PACKAGING LENGTH

195

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.042

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.512

PACKAGING WEIGHT UNIT

KGM