



MASTER GLASS LED candles and lustres

MAS LEDLusterDT5.9-60W B22 927 P45CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lustres with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cosy atmosphere. The MASTER LED candles and lustres can be dimmed for different lumen level and also for the different colour temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data

General information		Operating and electrical	
Cap base	B22 [B22]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	5.9 W
Nominal lifetime (nom.)	25000 h	Lamp current (nom.)	40 mA
Switching cycle	20,000X	Wattage equivalent	60 W
	Sphere	Starting time (nom.)	0.5 s
		Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.6
		Voltage (Nom)	220-240 V
Light technical		Temperature	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]	T-ambient (max.)	45 °C
Luminous flux (nom.)	806 lm	T-ambient (min.)	-20 °C
Colour designation	Warm Glow (WG)	T-Case maximum (nom.)	70 °C
Correlated Colour Temperature (Nom)	2200 2700 K		
Luminous efficacy (rated) (nom.)	136 lm/W		
Colour consistency	<6		
Colour rendering index (nom.)	90		
LLMF at end of nominal lifetime (nom.)	70 %		

MASTER GLASS LED candles and lustres

Controls and dimming

Dimmable	Only with specific dimmers
----------	----------------------------

Mechanical and housing

Lamp Finish	Clear
Bulb material	Glass
Bulb shape	P45 [P 45mm]


Approval and application

Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	6 kWh
	1109150

Product data

Full product code	871951444963300
Order product name	MAS LEDLusterDT5.9-60W B22 927 P45CL G
EAN/UPC – product	8719514449633
Order code	44963300
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003014282
Net Weight (Piece)	0.014 kg


Dimensional drawing




MAS LEDLusterDT5.9-60W B22 927 P45CL G

Product	D	C
MAS LEDLusterDT5.9-60W B22 927 P45CL G	45 mm	77 mm

Photometric data




Spectral Power Distribution Colour



General uniform lighting

MASTER GLASS LED candles and lustres

Photometric data



Light Distribution Diagram

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

