



# CorePro LEDspot Reflectors

## CoreProLEDspot D 4.3-60W R50 E14 827 36D

CorePro LEDspots Reflectors are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with an E27 or E14 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots Reflectors deliver significant energy savings and minimise maintenance costs.

### Product data

General Information	
Cap base	E14
Nominal lifetime	15,000 h
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Colour Code	827 [CCT of 2700K]
Beam angle (nom.)	36 degree(s)
Luminous Flux	320 lm
Luminous intensity (nom.)	550 cd
Luminous efficacy (rated) (nom.)	74.00 lm/W
Colour designation	Warm White (WW)
Correlated Colour Temperature	2700 K
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Luminous flux in 90° cone (rated)	320 lm
Flickering value (PstLM)	1

Stroboscopic effect	0,4
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	4.3 W
Lamp current (nom.)	25 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (nom.)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Controls and Dimming	
Dimmable	Only with specific dimmers

# CorePro LEDspot Reflectors

## Mechanical and Housing

Lamp Finish	Clear
Bulb shape	R50

## Approval and Application

Energy Efficiency Class	F
Suitable for accent lighting	Yes
Energy consumption kWh/1,000 hours	5 kWh
EPREL registration number	397642
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes


## Application Conditions

Can it be used in closed luminaires	No
-------------------------------------	----

## Product Data



Order product name	CoreProLEDspot D 4.3-60W R50 E14 827 36D
Full product name	CoreProLEDspot D 4.3-60W R50 E14 827 36D
Full EOC	871869681177100
Order code	81177100
Material no. (12 NC)	929001891202
Numerator – quantity per pack	1
Net Weight (Piece)	0.050 kg
EAN/UPC – Product/Case	8718696811771
Numerator – packs per outer box	6
EAN/UPC – Case	8718696811788

## Dimensional drawing



Product	D	C
CoreProLEDspot D 4.3-60W R50 E14 827 36D	50 mm	84 mm

## Photometric data




Accent Lighting Spots – CoreProLEDspot D 4.3-60W R50 E14 827 36D

Light Distribution Diagram – CoreProLEDspot D 4.3-60W R50 E14 827 36D


# CorePro LEDspot Reflectors

## Photometric data




Spectral Power Distribution Colour - CoreProLEDspot D 4.3-60W R50 E14 827 36D

## Lifetime



Lumen Maintenance Diagram - CoreProLEDspot D 4.3-60W R50 E14 827 36D



LEDspot CorePro 1.8-30W E14 R39 827 36D ND

