



MASTER GLASS LED candles and lustres

MAS LEDCandleDT3.4-40W E14927 BA35CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lustres with the benefits of the long-lasting LED technology. It is an idea product to provide customers with cosy atmosphere. The MASTER LED candles and lustres can be dimmed for different lumen level and also for the different colour temperature. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data

General information	
Cap base	E14 [E14]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	25000 h
Switching cycle	20,000X
	Sphere
Light technical	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]
Luminous flux (nom.)	470 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2200 2700 K
Luminous efficacy (rated) (nom.)	138 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	3.4 W
Lamp current (nom.)	24 mA
Wattage equivalent	40 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.6
Voltage (Nom)	220-240 V
Temperature	
T-ambient (max.)	45 °C
T-ambient (min.)	-20 °C
T-Case maximum (nom.)	70 °C

MASTER GLASS LED candles and lustres

Controls and dimming

Dimmable	Only with specific dimmers
----------	----------------------------

Mechanical and housing

Lamp Finish	Clear
Bulb material	Glass
Bulb shape	BA35


Approval and application

Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	4 kWh
	1109143

Product data

Full product code	871951444949700
Order product name	MAS LEDCandleDT3.4-40W E14927 BA35CL G
EAN/UPC – product	8719514449497
Order code	44949700
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003013082
Net Weight (Piece)	0.013 kg


Dimensional drawing




MAS LEDCandleDT3.4-40W E14927 BA35CL G

Product	D	C
MAS LEDCandleDT3.4-40W E14927 BA35CL G	35 mm	119 mm

Photometric data




General uniform lighting



Spectral Power Distribution Colour

MASTER GLASS LED candles and lustres

Photometric data



Light Distribution Diagram

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

