



CorePro LEDspot MV



Corepro LEDspot 3.5-35W GU10 830 36D UK

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information		
Cap base	GU10	
Nominal lifetime	15,000 h	
Switching Cycle	50,000	
Lighting Technology	LED	
Light Technical		
Colour Code	830 [CCT of 3000K]	
Beam angle (nom.)	36 degree(s)	
Luminous Flux	265 lm	
Luminous intensity (nom.)	565 cd	
Luminous efficacy (rated) (nom.)	75.00 lm/W	
Colour designation	White (WH)	
Correlated Colour Temperature	3000 K	
Colour consistency	<6	
Colour rendering index (CRI)	80	
LLMF at end of nominal lifetime (nom.)	70 %	
Luminous flux in 90° cone (rated)	265 lm	
Flickering value (PstLM)	1	
Stroboscopic effect	0.4	
Photobiological safety according to EN 62	471 RG1	

50 to 60 Hz
50 to 60 Hz
3.5 W
32 mA
35 W
0.5 s
0.5 s
0.5
220-240 V
75 ℃
No
PAR16
F
Yes

Datasheet, 2023, April 14 data subject to change

CorePro LEDspot MV

Energy consumption kWh/1,000 hours	4 kWh
EPREL registration number	391856
EU RoHS compliant	Yes
EyeComfort	Yes
Application Conditions	
Can it be used in closed luminaires	No
Product Data	
Order product name	Corepro LEDspot 3.5-35W GU10 830 36D
	UK


UK

Corepro LEDspot 3.5-35W GU10 830 36D

Full EOC	871869672833801
Order code	72833801
Material no. (12 NC)	929001217999
Numerator – quantity per pack	1
Net Weight (Piece)	0.045 kg
EAN/UPC — Product/Case	8718696728338
Numerator – packs per outer box	10
EAN/UPC - Case	8719514405998


Dimensional drawing


Full product name



Product	D	С
Corepro LEDspot 3.5-35W GU10 830 36D UK	50 mm	54 mm

Photometric data






Spectral Power Distribution Colour - Corepro LEDspot 3.5-35W GU10 830 36D UK

Accent Lighting Spots - Corepro LEDspot 3.5-35W GU10 830 36D UK


CorePro LEDspot MV


Photometric data



Light Distribution Diagram - Corepro LEDspot 3.5-35W GU10 830 36D UK

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - Corepro LEDspot 3.5-35W GU10 830 36D UK



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.