

JC131003

Emergency Remote Pack

Emergency pack for 18W Non-dimmable adjustable downlight(only for use with JC131001)

Features & Benefits

- For use with the 4000K Non-dimmable Adjustable downlight
- Integral LiFePO4 batteries











CLASS II EMENGENC

General Information

Mounting

Environment

Suitable For Zones

Product Group

Product Range

Trade Name

Color Finish

Product Shape

Overall Dimensions

Light Source

Product Weight(kg)

Additional Information

Recommended Product Location

Product Aperture Size

IP Rating

Warranty

Origin of manufacturer

Recessed

Indoor

Outside Zone 2

Emergency Remote Pack

Emergency

Emergency Range

White

Rectangular

199(L) x 55.2(W) x 24.5(H) mm

LED

0.232

For use with JC131003 only

Ceiling voids(recessed applications)

60mm

IP20

Made in China

2 years standard warranty extends to 3 years when

registered within the first year of purchase (2 years on

batteries) (See Website for terms and conditions)

Maintained only

Operation Type

Lighting Product Type 1

Lighting Product Type 2

Emergency Lighting

Accessory

Electrical

Voltage Rating 220-240
Operating Frequency Hz 50/60Hz

Luminaire Circuit Wattage 2.5W

Class

Input Electrical Connections N(Neutral)Usw/L(Unswitched Live)Sw/L(switched Live)

Emergency Data

LOR % in Emergency Mode 3-5

Battery Data

Battery Specification 2 cell LiFePO4 6.4VDC

Battery Type Lithium Iron

Nominal Battery Current 1.5A

Charge Current 200mA

Recharge Time 16hrs

Battery run time 3 hours

Battery Total Weight(kg) 0.42

Thermals

Insulation Coverage Do not cover with insulation

Operating Temperature Range °C 0 to +55

Construction

Primary Material Polycarbonate

Packaging

Product Packaged Weight(kg)

Product carton overall dimensions(cm) 24(L)x5.8(W)x2.8(H)

Quantity Per Outer Carton 30

Outer carton(L)- cm 35

Outer carton(W)- cm 28.5

Outer carton(H)- cm 20

Outer carton Net weight- kg 7.86

odder cartori Net Weight Ng

Outer carton Gross weight- kg 8.36

 Product Bar Code EAN-13 Number
 5052544109478

 Outer carton Bar Code ITF-14 Number
 15052544109475

Standards & Approvals

Manufactured In Accordance To

BS EN 60598:2015, 2-22

0.268

CE Marked


UKCA Marked

Date code/Purchase order No.

WEEE Symbol

Certificate Of Conformity

Accredited Members



Yes Yes Yes

Available on request

Yes

LIA, ISO9001:2015, ISO14001:2015



JCC Lighting LTD Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex PO22 9TS Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk | www.jcc.co.uk | www.jcc.co.uk | www.jcc.co.uk | www.jcc.co.uk | www.jcc.co.uk | www.jcc.co.uk | www.jc

This document is uncontrolled if printed, all information is subject to change

Version 80 [10/03/2022]