



# CorePro Plastic LED Specialities

## Corepro LED T25 ND 1.7-15W E14 827

The LED specialities can be easily intalled for certain applications.

### Product data

General information	
Cap base	E14 [ E14]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Light technical	
Colour Code	827 [ CCT of 2,700 K]
Beam Angle (Nom)	240 °
Luminous flux (nom.)	150 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	88.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	1.7 W
Lamp current (nom.)	20 mA
Wattage equivalent	15 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s


Power factor (nom.)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	55 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Lamp Finish	Frosted
Bulb shape	T25 [ T 25mm]
Approval and application	
Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	2 kWh
	391879
Product data	
Full product code	871951438986100
Order product name	Corepro LED T25 ND 1.7-15W E14 827
EAN/UPC – product	8719514389861
Order code	38986100

# CorePro Plastic LED Specialities

SAP numerator – quantity per pack	1
Numerator – packs per outer box	12
SAP material	929001325702

Net Weight (Piece)	0.008 kg
--------------------	----------


## Dimensional drawing




Corepro LED T25 ND 1.7-15W E14 827

Product	D	C
Corepro LED T25 ND 1.7-15W E14 827	25 mm	59 mm


## Photometric data



LEDbulb 1,7W T25 E14 827 FR-LDD



LEDbulb 1,7W T25 E14 827 FR-GUL



LEDbulb 1,7W T25 E14 827 FR-POC

# CorePro Plastic LED Specialities

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

