

Benchmark**BMG462**

SINGLE-USE POWDER FREE NITRILE GLOVE

Lightweight, powder-free, single-use gloves with textured fingertips. Provides a very good alternative to Vinyl gloves.

FEATURES

- › Textured finish on the fingertips to enhance grip
- › Comfortable with a 'second skin' feel
- › Latex and powder-free
- › Approved for food handling
- › Beaded cuff
- › AQL 1.5
- › Dual labelling: PPE and medical
- › Medical device compliant (MDD 93/42/EEC), conforms to EN455 (all parts)
- › Thickness: 0.07mm, weight: 3.5gr



SUITABLE FOR


Typical Industries

- Aerospace
- Chemical
- Electronics
- Food
- Pharmaceutical
- Manufacturing
- Oil and Gas

Suitable Applications

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying

CERTIFICATION



See overleaf for explanation

Benchmark**BMG462****PRODUCT INFORMATION**

MATERIAL	Nitrile
COLOUR	Blue
LENGTH (mm)	240
CUFF STYLE	Beaded

RECOMMENDATIONS FOR USE

USE: Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement.

STORAGE: Store in dry conditions in the original packaging and away from direct sunlight.

CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.

LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use.

ORDERING DETAILS

SIZE	ITEM NO.	PACKAGING
6½-7 / S	BMG00462DD	Boxes of 200 pcs, 10 boxes per case
7½-8 / M	BMG00462DF	
8½-9 / L	BMG00462DH	
9½-10 / XL	BMG00462DJ	
10½-11 XXL	BMG00462DL	

CERTIFICATION LEGENDS
RESISTANCE TO CHEMICAL PERMEATION
 - EN ISO 374: 2016

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	O	25% Ammonium hydroxide
G	Diethylamine	P	30% Hydrogen peroxide
H	Tetrahydrofuran	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

TYPE OF GLOVES	BREAKTHROUGH TIME
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical


PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)


FOOD CONTACT
 DIRECTIVE EC 10/2011

EN455-1:	Freedom from holes
EN455-2:	Physical properties
EN455-3:	Biological evaluation
EN455-4:	Shelf Life

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963



Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2021 Globus (Shetland) Ltd | BMK-DATA-BMG462-0222_1