

FULLY COATED CUT LEVEL 5 GAUNTLET WITH A PVC CORAL GRIP

Unique, durable coral coated gauntlet with level 5 cut resistance. Enhanced protection and secure grip in the most extreme environments, including when exposed to chemicals, oils and grease.

FEATURES

- › Level 5 cut resistance (EN388)
- › Double dipped PVC coating and special cut-resistant liner
- › Maximum resistance to abrasion and rips
- › Gauntlet retains flexibility despite its level of protection
- › Extremely durable
- › Outstanding levels of grip
- › Black colouring extends wearable life
- › Seamless liner for optimum comfort
- › Sanitized® antimicrobial finish provides extra freshness



SUITABLE FOR

Typical Industries

- Offshore
- Petrochemicals
- Utilities
- Waste Management

Applications

- Cold Storage
- Chemical Handling
- Maintenance
- Refining
- Sheet Metal Handling

CERTIFICATION

CE	EN388: 2003	EN374-2: 2003	EN374-3: 2003	A - METHANOL
				0 1 2 3 4 5 6
	4542	A K L		K - SODIUM HYDROXIDE 40%
				0 1 2 3 4 5 6
				L - SULPHURIC ACID 96%
				0 1 2 3 4 5 6

See overleaf for explanation



PRODUCT INFORMATION

MATERIALS	LINER:	Steel and Lycra
	COATING:	PVC
COLOUR	Black	
LENGTH (mm)	270	
CUFF STYLE	Flared Gauntlet	

ORDERING DETAILS

SIZE	CODE	PACKAGING
8/M	SKY042	10 pairs per pack 60 pairs per case
9/L	SKY043	
10/XL	SKY044	

RECOMMENDATIONS FOR USE

- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Both new and used gloves should be thoroughly inspected, especially after cleaning treatment, before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if re-use is intended in which case gloves should be cleaned as far as possible, provided no serious hazard exists, before removal from hand. Excess contamination should first be removed and the gloves may be decontaminated with mild detergent solution then rinsed with clean water and dried ideally with some air movement.

CERTIFICATION LEGENDS



MECHANICAL HAZARDS
EN 388

PERFORMANCE LEVELS

0-4 0-5 0-4 0-4

Abrasion Resistance
Blade Cut Resistance
Tear Resistance
Puncture Resistance



SPECIFIC CHEMICAL PROTECTION
EN 374

LETTER CODE

A	Methanol	G	Diethylamine
B	Acetone	H	Tetrahydrofurane
C	Acetonitrile	I	Ethyl acetate
D	Dichloromethane	J	n-Heptane
E	Carbon Disulfide	K	Sodium hydroxide 40%
F	Toluene	L	Sulphuric acid 96%



MICRO-ORGANISMS
EN 374

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963



Globus (Shetland) Ltd, 14 Central Park, Mosley Road, Trafford Park, Manchester, M17 1NY, UNITED KINGDOM
Globus EMEA FZE, Jafza View 19, Floor 9 Office 0904, Jebel Ali, Dubai, UNITED ARAB EMIRATES

© 2016 Globus (Shetland) Ltd | GLOBUS_SKYTEC-DATA-TUNGSTEN-0116