




FLEXIBLE POLYURETHANE (PU) PALM AND HIGHLY CUT RESISTANT

T5PU offers outstanding cut resistance whilst maintaining a high degree of comfort and dexterity. The flexible PU coating protects the hand from oils and grease delivering effective long lasting grip when handling items with sharp edges.

FEATURES

- › Cut resistant: Level B (EN 388:2016)
- › High levels of resistance to abrasions, cuts and ripping
- › Machine knitted liner constructed using HPPE fibres blended with Nylon and other synthetic yarns
- › Flexible polyurethane (PU) palm
- › Ventilated to keep hands cool
- › Sanitized® antimicrobial finish provides extra freshness
- › Elasticated wrist for a secure comfortable fit
- › Wrist well protected



SUITABLE FOR

Typical Industries

- Aerospace
- Engineering
- Glass
- Transport

Suitable Applications

- Injection Moulding
- Metal Fabrication

CERTIFICATION

CAT II

EN 388:2016



4X43B

See overleaf for explanation



PRODUCT INFORMATION

MATERIALS	LINER:	13 gauge HPPE, glass fibre, nylon
	COATING:	Polyurethane (PU)
COLOUR	Green/Black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

RECOMMENDATIONS FOR USE

- **USE:** General handling glove with cut protection. Not suitable for thermal, electrical and chemical protection. Do not use near moving machines if there is a risk of entanglement.
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight.
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use.


ORDERING DETAILS

SIZE	CODE	PACKAGING	VEND COMPATIBLE OPTION	
			CODE	PACKAGING
6/XS	SKY760	10 pairs per bag	-	120 individually bagged pairs per case
7/S	SKY761		SKYV761	
8/M	SKY762	SKYV762		
9/L	SKY763	SKYV763		
10/XL	SKY764	120 pairs per case	SKYV764	

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016
PERFORMANCE LEVELS*



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

EUROPE

www.globusgroup.com

E: sales@globus.co.uk
T: +44 (0)161 877 4747
F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com
T: +971 4 882 9962
F: +971 4 882 9963

