

# GP-KV1

## Natural latex coating, cut resistant kevlar liner

A flexible easy-maintenance glove providing effective protection against cuts and with excellent dry and wet grip. This was the first glove in the world to use cut-resistant aramid fibre.

### Features

- ▲ Cut resistant: Level C / A3
- ▲ 10g Kevlar liner provides cut and heat protection
- ▲ Rough finish latex coated palm
- ▲ Excellent mechanical performance
- ▲ Latex protects the hand in damp environments
- ▲ Breathable back of hand to reduce perspiration
- ▲ Designed for easy movement and continuous wear
- ▲ Seamless liner prevents irritation



### Certifications



### Suitable industries & applications

#### Industries

- ▲ Aerospace
- ▲ Automotive
- ▲ Construction
- ▲ Manufacturing
- ▲ Utilities
- ▲ Waste and Recycling
- ▲ Steel and Metals

#### Applications

- ▲ Vehicle Repairs and Maintenance
- ▲ Masonry and Brickwork
- ▲ Salvage and Material Refinement
- ▲ Woodwork and Fabrication
- ▲ Glass and Glazing
- ▲ Waste Collection and Sorting
- ▲ Tiling

#### Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

#### Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

#### Americas

salesusa@globusgroup.com  
+1 83 337 54747

# GP-KV1

Natural latex coating, cut resistant kevlar liner

## Product information

<b>Materials</b>	Liner:	10 Gauge Kevlar
	Coating:	Natural Latex
<b>Colour</b>	Yellow / Blue	
<b>Length</b>	260mm	
<b>Cuff Style</b>	Elasticated Knit Wrist	

## Ordering information

<b>S</b>	SHO3201	Items per Pack 10 x Pairs
<b>M</b>	SHO3202	
<b>L</b>	SHO3203	Items per Case 120 x Pairs
<b>XL</b>	SHO3204	

## Additional information

Certification legend



or click [here](#)

Declaration of conformity



or click [here](#)

View product online



or click [here](#)

### Europe

sales@globus.com  
+44 (0)161 877 4747  
+44 (0)161 877 4746

### Middle East & Africa

sales.gcc@globusgroup.com  
+971 4 882 9962  
+971 4 882 9963

### Americas

salesusa@globusgroup.com  
+1 83 337 54747