



P2 - FFP2 CUP-SHAPED, NON-REUSABLE RESPIRATOR

The BM-2 non-reusable respirator features a soft foam nose seal, blue twin elastic strap that are welded and not stapled for strength. Colour-coded for ease of identification.

FEATURES

- › Blue colour-coded noseband and strap
- › Low breathing resistance
- › Staple free
- › Soft inner lining
- › Inner nose seal
- › Conforms to EN149:2001 + A1:2009



SUITABLE APPLICATIONS

Protects from very fine toxic dusts/mists/fumes and oil/water based particulates. Some suitable applications include:

- Pharmaceutical
- Food Processing
- Agriculture
- Ship Building/Repair
- Powdered Chemicals
- Woodworking Industry
- Construction
- Metal Working
- Laboratories

ORDERING INFORMATION

Item No.	BMR00020DZ
Packaging:	20 per box 400 per case
Certification:	EN 149: 2001 + A1: 2009 FFP2 NR



TECHNICAL SPECIFICATIONS

MATERIALS

COMPONENT	MATERIAL
Outer Cover:	Spunbond 35g
Filter Media:	Meltblown 55g
Inner Cover:	Polyester 160g
Headstrap:	Knitted Elastic Band

DIMENSIONS

ITEM	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
Respirator	125mm	140mm	55mm
Nosebridge	90mm	10mm	1mm
Headband	300mm	7mm	1mm

CERTIFICATION

Tested in accordance to EN 149: 2001 + A1: 2009 FFP2 NR
EU Type Examination, (Module B), Certificate issued by:
BSI Group The Netherlands B.V. Say Building, John M.
Keynesplein 9, 1066 EP Amsterdam, Netherlands [N.B. No.

RECOMMENDATIONS FOR USE

This respirator is disposable and recommended for single shift use only.
Do not attempt to clean or re-use.

PRODUCT SELECTOR GUIDANCE CHART

Approval EN 149:2001 + A1:2009	Product	APF (Assigned Protection Factor) (x WEL)	Non-Toxic Dusts	Fine / Toxic Dusts / Mists / Fumes	Odours/ Org. Vapours (Below WEL)	Very Fine/ Toxic Dusts/ Mists/Fumes	Metal Fumes	Oil/Water Based Particulates
FFP2 NR	BM-2	10	■	■		■	○	■
FFP2 NR	BM-2V	10	■	■		■	○	■
FFP3 NR	BM-3V	20	■	■		■	■	■

■ = Recommended ○ = Alternative

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963

