

Technical Helpline: 01452 317890 email: technical@eastbrookco.com

MIRROR/CORNICE INSTALLATION GUIDE READ THESE INSTRUCTIONS BEFORE PROCEEDING AND GIVE THESE INSTRUCTIONS TO THE END USER

THIS FURNITURE MUST BE INSTALLED BY A TRAINED FITTER WHO HAS EXPERIENCE OF FITTING BATHROOM FURNITURE. CHECK ALL PRODUCTS CAREFULLY BEFORE FITTING. DO NOT FIT ANY DEFECTIVE PRODUCT. CONTACT YOUR SUPPLIER IMMEDIATELY.

THE LOCATION WHERE THIS PRODUCT IS FITTED MUST BE WELL VENTILATED. THIS PRODUCT IS INTENDED TO WITHSTAND NORMAL HUMIDITY FOUND IN BATHROOMS. IT MUST NEVER BE EXPOSED TO DIRECT WATER SPLASHING OR SOAKING FROM SHOWER HEADS, BATHWATER OR OTHER WATER OUTLET. ALWAYS DRY IMMEDIATELY IF THE FURNITURE IS WET.

NEVER USE STRONG DETERGENTS OR ABRASIVE CLEANERS AS THESE CAN CAUSE DAMAGE. WIPE WITH A WET CLOTH AND A MILD LIQUID CLEANER.

MIRROR ASSEMBLY AND FITTING

- 1. Fix the shelf to the mirror using the bolts supplied (Fig.C).
- 2. Fix mirror to cornice using the bolts supplied (Fig. B).
- 3. Decide required height of mirror.
- 4. Fix the wall brackets supplied to the wall at the chosen height so that they match with the brackets on the back of the mirror (Fig.A).
- 5. Attach the mirror to the wall brackets and adjust for level.
- 6. Do not lift the mirror by the cornice when is fitted.
- 7. Always leave a min. 10cm gap between the top of the cornice and the ceiling.


ELECTRICAL CONNECTION

- 1. Turn off power supply at the mains.
- 2. Connect external mirror cable to the main supply using an Electrical Standard Connector with a min. 1.5mm2 section.
- 3. Colour code for power supply is:

Brown Live Blue Neutral Yellow/Green Earth

4. Rating IP54

5. Switch main powers on again.



CHANGING BULBS OR LAMPS

- 1. Use only bulbs or lamps of the specified rating.
- To change bulbs, disconnect power supply and let the bulbs cool down before changing.
- 3. For halogen lamps disconnect the power supply, remove protective glass and replace after changing lamp. Do no touch the quartz bulb or the inside the reflector.

Use only a qualified electrician to fit and repair. If there is a problem contact the distributor or manufacturer.

NOTICE

The plastic cover over the fittings in the cornice is now required by European and British Standards to qualify for use in a bathroom environment. It is intended to prevent the ingress of dust sufficient to cause harm and to protect against water "splashing" (intermittent and irregular and not "jets of water"). As a result, there is now limited ventilation for the heat created by the lights and the transformers to dissipate. This product should not therefore be left illuminated for long periods (e.g. all day or all night).