



INSTALLATION MANUAL








Eastbrook Code	Adjustment	Eastbrook Code	Adjustment
69.0129	590-600	69.0130	790-800
69.0131	890-900	69.0132	1090-1100
69.0136	750-760	69.0133	790-800
69.0134	890-900		






This product should only be fixed by a fully qualified installer


6LW1 2X	6LW2 8X	6LW3 8X	6LW4 8X	6LW5 8X	6LW6 2X
6LW7 1X	6LW8 2X	6LW9 1X	6LW10 1X	6LW11 2X	6LW12 1X
6LW13 1X	6LW14 1X	6LW15 1X	6LW16 1X	6LW17 1X	6LW18 1X
6LW19 2X	6LW20 1X	6LW21 1X	6LW22 1X	6LW23 1X	6LW24 1X




1




2




3




4




5




6





7





8




9





10




11




12



13





14



15

L/H

R/H



Silicone on the outside of the screen only

Cleaning & Maintenance

Don't clean the shower enclosure with irritant detergent such as alcohol,bleach or other chemical cleaners.

Only clean with warm soapy water.

After the installation is completed,should you find that there is notable noise when the glass door moves,you may add a small quantity of lubricant onto the roller wheel,slipping hook and the track.

Helpline: 01452 317890