


# INSTALLATION MANUAL

Eastbrook Road, Gloucester GL4 3DB  
 Technical Helpline: 01452 317890  
 email: technical@eastbrookco.com

Eastbrook Code	Adjustment	Eastbrook Code	Adjustment
69.0111	660-700	69.0112	720-760
69.0113	760-800	69.0114	860-900





# B67+B551




This product should only be fixed by a fully qualified installer

<p>D01</p> <p>2X</p>	<p>D03</p> <p>13X</p>	<p>D04</p> <p>4X</p>	<p>D05</p> <p>8X</p>
<p>D06</p> <p>1X</p>	<p>D07</p> <p>17X</p>	<p>D09</p> <p>1X</p>	<p>D10</p> <p>4X</p>





L



# R



**1**

The diagram shows a person standing in a shower stall, adjusting the height of the shower head. The shower head is mounted on a vertical bar that can be moved up and down, as indicated by the arrows. The person is holding the bar with both hands, and the shower head is positioned at a height suitable for use.




D09(1X)

D01(1X)


 $\phi$ 

D05(8X)


D10(4X)




3




4




5




6





7






8




9



10



11



Silicone on the outside of the screen only

## Cleaning & Maintenance

Don't clean the shower enclosure with irritant detergent such as alcohol,bleach or other chemical cleaners.

Only clean with warm soapy water.

After the installation is completed,should you find that there is notable noise when the glass door moves,you may add a small quantity of lubricant onto the roller wheel,slipping hook and the track.

Helpline: 01452 317890