


INSTALLATION MANUAL

















| Eastbrook Code | Adjustment | Eastbrook Code | Adjustment |
|----------------|------------|----------------|------------|
| 69.0069 | 970-1000 | 69.0070 | 1070-1100 |
| 69.0071 | 1170-1200 | 69.0072 | 1370-1400 |
| 69.0073 | 1570-1600 | | |





B532+B551




This product should only be fixed by a fully qualified installer


| | | | | | |
|---|---|---|--|--|---|
| S01  2X | S02  1X | S03  2X | S04  1X | S05  2X | S06  16 ST4 2X |
| S07  3X | S08  2X | S09  1X | S10  1X | S11  17X | S12  10 ST4 13X |
| S13  8X | S14  30 ST4 12X | S15  2X | S18  30 ST4 4X | | |



Ø6




Ø3.2




L


R




1




S01




2




2.1




2.2




2.3



3




S16



3.1


4




S02

S03

4.1




S14(2X)

5



5.1




5.2





5.3

**6**


6.1





6.2

**7**


7.1




7.2

**8**



8.1





8.2




8.3

**9**


9.1

**10**


10.1





10.2





11





12



13





14




15

Silicone on the outside of the screen only



16



Cleaning & Maintenance

Don't clean the shower enclosure with irritant detergent such as alcohol,bleach or other chemical cleaners.

Only clean with warm soapy water.

After the installation is completed,should you find that there is notable noise when the glass door moves,you may add a small quantity of lubricant onto the roller wheel,slipping hook and the track.

Helpline: 01452 317890