Optima® Sensor Faucet

EBF-815 SMT

Product description

Optima® Battery-Powered Wall-Mounted Wall Body IoT Faucet.

Compliances & Certifications

(ASME A112.18.1 Compliant, ASSE 1070, BREEAM Materials Credit, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, EPD, Green Globes Credit, Green Globes Water, HPD, LEED Credit, LEED HPD, LEED Water, NSF-61/CAN-61, NYC604.4, Satisfies LEED Credits, TAS, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

Finish

Available in Polished Chrome (CP), Graphite (GR), Brushed Stainless (SF), Brushed Nickel (BN), Polished Brass (PB).

Connectivity

Downloads

- Optima Smart Faucet Below Deck Installation Instructions
- EBF-815_ETF-810 Repair Maintenance Guide
- Faucet Spray Heads Maintenance Guide
- Faucet and Soap Dispenser Brochure
- Optima Faucets Brochure
- IoT SC Argus Pro Smart Restroom Brochure
- Additional Downloads

Videos

- Sloan Optima Below Deck Faucet

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Sloan 10500 Seymour Ave, Franklin Park 800.982.5839 sloan.com

Features

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, IoT Enabled, Hand Washing Faucet with the following features:

- Commercial Grade Faucet
- ADA Compliant
- Cast Brass Spout
- Quick Connect Fittings
- Integrated Water Shut-off
- Remote wireless setting adjustments
- On-demand or metered activation
- Automated hygienic line flush
- Self-adapting Sensor
- Wireless two-way communication with IoT cloud-based system
- Remote management and monitoring of faucet
- Comprehensive view of device settings with image and location information
- Collects information on device activations, battery level, and water usage
- Remote bulk setting changes and line flush scheduling
- Faucet operates normally when not connected to the SC Argus® Pro system
- Part of the Clark Street® Collection

Warranty

View Warranty Information

Notes

All information contained within this document subject to change without notice.

Additional Information

Compatible products

ESD-410

View product >