




Sloan Mirror

ML 2 INSET-24X36-6000K

Product description

24" x 36", Sloan Wall-hung Hardwired 2 Inset LED Mirror.

Compliances & Certifications



(Satisfies LEED Credits)

Code 32920001

Downloads

- [LED Mirrors Installation Instructions.pdf](#)
- [Sloan® Mirrors Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Details

- Frame Type: 2 Inset Back Lit
- Mirror Size: 24" x 36" (4x36)

Features

Sloan's 2 Inset LED Mirrors feature integrated vertically-lit inset sides to elevate modern spaces.

- LED 6000K cool daylight with an integrated 12-volt driver ensures consistent brightness
- 110V 60hz input. 12V DC output
- LED lifetime of 50k hours
- Energy-saving LED lights with options for hardwired or plug-in power sources. Prepared for hardwired installation
- 1/4" thick mirror with polished edges. Guaranteed against silver spoilage for 15 years
- Includes an easy-mount steel base and 18-gauge stainless steel hangers for quick installation
- No visible screws
- Available in a versatile 24" x 36" size. Perfect for any space
- LEED-eligible. Supporting sustainability in design (LEED MR c4, LEED EQ c4.2)

Recommended specifications

Sloan ML 2 Inset LED Mirror shall include the following: vandal- and theft-resistant wall mount and hanger, 1/4" thick plate glass with polished edges, energy-efficient 50K hour rated LED frosted glass lighting in 6000K daylight color, 12V constant volt driver, and size of 24" x 36"

Lighting Specifications

- LED Color: 6000K Cool
- LED Lifetime: 50K Hours

Power Requirements

- Prepared for hardwired installation
- 12V constant integrated volt driver
- 110V 60 Hz input
- 12V DC output

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

