

Royal® Sensor Specialty Flushometer

ROYAL 111 RW SFSM

Product description

Royal® Exposed Sensor Specialty Water Closet Reclaimed Water Flushometer.

Compliances & Certifications

(BREEAM Materials Credit, BREEAM Water Credit, EPD, Green Globes Credit, Green Globes Water, HPD, LBC Credit, LEED Credit, LEED HPD, LEED Water, Satisfies LEED Credits, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

Finish

Available in Polished Chrome (CP).

Connectivity

Downloads

- Royal Reclaimed Water Flushometer Installation Instructions
- EBV-500_550-A Installation Instructions
- Control Stop Repair and Maintenance Guide
- Flush Connections Flanges Repair and Maintenance Guide
- Tail Piece Repair and Maintenance Guide
- Retrofits Brochure
- Additional Downloads

Videos

- Sloan – Company Overview

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Sloan 10500 Seymour Ave, Franklin Park 800.982.5839 sloan.com

Features

Sensor operated, diaphragm type, polished chrome exposed water closet flushometer for floor mounted or wall hung top spud bowls.

- Includes the required wall plate and a purple wall flange to let users know reclaimed water is in use.
- All organic rubber has been replaced with synthetic compounds
- Interior components are purple to let maintenance personnel know the flushometer is designed for reclaimed water
- True Manual Override Flush Button
- Can be Mounted on either the Left or Right Side of Valve
- PERMEX® Synthetic Rubber Diaphragm with Dual Filtered Fixed Bypass
- Valve body, Cover, Tailpiece and Control Stop shall be in compliance with ASTM Alloy Classification for Semi-Red Brass
- Valve shall be in compliance to the applicable sections of ASSE 1037


Warranty

View Warranty Information

Notes

All information contained within this document subject to change without notice.

Featured projects



Bank of America Tower
Houston, TX

View project >



Chase Center
San Francisco, CA

View project >