

### **OPTIONS**

#### Flush Volume

1.6 gpf (6.0 Lpf) (1.6) 3.5 gpf (13.2 Lpf) (3.5)

# **Water Efficiency**

Low Consumption Water Saver

### **Control Stop**

No (XD)

### **Bumper**

Angle Stop Extended (YG)

## **Compliances & Certifications**

ADA Compliant BAA Compliant BABAA Compliant cUPC Certified UPC Certified

#### **NOTES**

For product line drawings, view model-specific spec sheets.

All information contained within this document subject to change without notice.



# **DESCRIPTION**

GEM-2® Exposed Manual Water Closet Flushometer

#### **FEATURES**

- Water closet Flushometers have a 1.6 gpf/6.0 lowconsumption flush, urinals have a 1.0 gpf/3.8 Lpf flush
- ADA-compliant, non-hold-open handle keeps fixture from exceeding intended flush volume
- Accurately meters water delivery from 15 to 100 psi
- Durability is facilitated with high copper, low zinc brass castings for dezincification resistance
- Replaces existing valves without tampering with supply control stop
- Valve body, Cover, Tailpiece and Control Stop shall be in compliance with ASTM Alloy Classification for Semi-Red Brass
- Valve shall be in compliance to the applicable sections of ASSE 1037.

# **DOWNLOADS**

- GEM/GEM 2 Piston Type Exposed Installation Instructions
- Control Stop Repair and Maintenance Guide
- Flush Connections Flanges Repair and Maintenance Guide
- Tail Piece Repair and Maintenance Guide
- Gem 2 Repair and Maintenance Guide
- Additional Downloads