



Urinal & Flushometer Combo

WEUS-7000.1408

Product description

Standard, SU-7009 Urinal and REGAL 186 SFSM Flushometer.

Compliances & Certifications



(ADA Compliant, BREEAM Materials Credit, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, cUPC Green Certified, EPD, IAPMO, LEED Credit, LEED HPD, Satisfies LEED Credits, EPA WaterSense Listed)

Code 70001408

Downloads

- [Regal XL Exposed Installation Instructions.pdf](#)
- [Small Spud Urinal Installation Instructions.pdf](#)
- [EBV-500_550-A Installation Instructions.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Details

- Flush Volume: 0.125 gpf (0.5 lpf)

Features

- Handle Packing
- Main Seat
- Top Seat and Vacuum Breaker Molded from PERMEX® Rubber Compound for Chloramine resistance
- “User in View” Flashing LED
- No External Volume Adjustment to Ensure Water Conservation
- True Mechanical Override Flush Button
- Hardwired
- 72-Hour Sentinel Flush
- Sweat Solder Adapter w/Cover Tube and Cast Wall Flange with Set Screw 3/4" I.P.S. Screwdriver
- Bak-Chek® Angle Stop with stop plug

Components

- Flushometer: Code 3982639
- Urinal: Code 1107009

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

