



## SloanStone® Solid Surface Sink

ELS-63000

### Product description

SloanStone® Solid Surface 3-Station Wall-Mounted Lavatory System Sink.

### Compliances & Certifications



(ADA Compliant, ICC A117.1)

### Code ELS-63000

#### Downloads

- [ELS Installation Instructions.pdf](#)
- [ELS \(Spanish\) Installation Instructions.pdf](#)
- [Sink Brochure.pdf](#)
- [SloanStone® Sinks Brochure.pdf](#)
- [Additional Downloads](#)

#### Videos

- [Sloan – Company Overview](#)

Details

- Material:
  - SloanStone Solid Surface
- Enclosure Type: Plastic
- Width: 76" (1930mm)

Features


Triple Station Lavatory System with Sloan Sensor Activated, Chrome Plated Hand Washing Faucets with the following features:

- All ADA and TAS lavatory standards achieved in a single design
- Aesthetically pleasing soft contoured one-piece continuous Basin
- Includes Below Deck Mechanical Mixing Valve (MIX-60-A), one per station
- Faucet (ordered separately) can be specified with a Below Deck Thermostatic Mixing Valve (-BDT variation), or the Thermostatic Mixing Valve (MIX-135-A) ordered separately, if needed

SloanStone sinks are a one-piece molded design with a slight angle outward at the side aprons to facilitate the fabrication process thus the overall length of the sink measured along the bottom edge may be up to ½" greater than noted length. SloanStone sinks are commonly available in one to four station lengths (most models) and cannot be seamed together to create a longer sink layout.

Please note that scratches on dark, high gloss finishes may be noticeable and require periodic refinishing to maintain the glossy appearance. Take care placing and sliding objects that may scratch the surface.




Colors





Recommended specifications

SloanStone Series Sink model no. ELS 6X000 Lavatory Style Sink. Product to be molded using SloanStone solid surface. Sink design to be ADA compliant and IAPMO certified.

Suggested Faucets

	Name	Description	
	EBF-85	Optima® Battery or Turbine-Powered Deck-Mounted Mid Body Faucet	<a href="#">View</a>
	SF-2100	Standard Hardwired-Powered Deck-Mounted Low Body Faucet	<a href="#">View</a>
	SF-2150	Standard Battery-Powered Deck-Mounted Low Body Faucet	<a href="#">View</a>

Suggested Soap Dispensers

	Name	Description	
	ESD-800	Sloan® Deck-Mounted Foam Soap Dispenser	<a href="#">View</a>
	ESD-2100	Sloan® Deck-Mounted Foam Soap Dispenser	<a href="#">View</a>

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

[Find a compatible faucet](#) for this sink.  
[Find a matching soap dispenser](#) for this sink.

