

Stainless Steel Sink

ESS-2200

Product description

Standard, Stainless Steel 2-Station Wall-Mounted Scrub Sink.

Compliances & Certifications



(BAA Compliant, BABAA Compliant, cUPC Certified)

Code ESS-2200

Downloads

- [Optima ESS-2000_3000 Series Installation Instructions.pdf](#)
- [Optima ESS-2000_3000 Series \(Spanish\) Installation Instructions.pdf](#)
- [EHS-1000-ESS-2000-3000 Series Repair and Maintenance Guide.pdf](#)
- [Sink Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Material:
 - Stainless Steel
- Width: 60" (1524mm)

Features

Double Station Stainless Steel Scrub Sink with Sensor Activated, 24 VAC, Chrome Plated Brass Hand Washing Faucets with the following features:

- Sink constructed from 16 gauge, Type 304 stainless steel with bead blast finish on sink bowl interior for superior wash-down characteristics
- 16 gauge "lift-out" style front access panel for easy maintenance access
- Sloan OPTIMA Faucet for hands-free operation
- Sink is shipped pre-plumbed for easy installation

Recommended specifications

Sloan Stainless Series Scrub Sink model no. ESS-2200-C-BDT (3850018). Product to be made of 16 gauge type 304 stainless steel with Sloan sensor faucets. Sink design to be ADA compliant.

Suggested Faucets

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

[Find a compatible faucet](#) for this sink.
[Find a matching soap dispenser](#) for this sink.

