





Royal® Sensor Flushometer

ROYAL 111 ESS

Product description

Royal® Exposed Sensor Hardwired Water Closet Flushometer.

Compliances & Certifications























(ADA Compliant, BAA Compliant, BABAA Compliant, BREEAM Materials Credit, BREEAM Water Credit, CalGreen Compliant, cULus Certified, cUPC Green Certified, Green Globes Water, HPD, IAPMO, LEED Credit, LEED HPD, LEED Water, Satisfies LEED Credits, EPA WaterSense Listed, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

Finish









Available in Polished Chrome (CP), Graphite (GR), Brushed Stainless (SF), Brushed Nickel (BN), Polished Brass (PB).

Downloads

- Royal ESS 110_111 Electrical Box Installation Instructions
- Royal ESS Concealed and Exposed Installation Instructions
- Ontrol Stop Repair and Maintenance Guide
- 7 Flush Connections Flanges Repair and Maintenance Guide
- Special Finishes Brochure
- https://cdn.pimber.ly/public/asset/
- Additional Downloads

Videos

ESS Flushometer

Product Information ROYAL 111 ESS

Features

- Water conservation is aided by the ADA-compliant, non-holdopen handle, which prevents toilet from exceeding intended flush volume
- Flush accuracy is controlled by CID™ technology, also enhancing water efficiency
- Integrity of the product is maintained with the vandal-resistant stop cap
- Durability is facilitated with high copper, low zinc brass castings for dezincification resistance
- · Adjustable tailpiece
- PERMEX® Synthetic Rubber Diaphragm with Dual Filtered Fixed Bypass
- Valve body, Cover, Tailpiece and Control Stop shall be in compliance with ASTM Alloy Classification for Semi-Red Brass
- Valve shall be in compliance to the applicable sections of ASSE 1037

Warranty

View Warranty Information

Notes

All information contained within this document subject to change without notice.



Featured projects



Coors Field Denver, CO

View project >



Elmhurst Hospital

Elmhurst, IL

View project >

