



Sloan® Soap Dispenser

ESD-600-PB

Product description

Polished Brass Finish, Sloan® Deck-Mounted Foam Soap Dispenser.

Compliances & Certifications



(ADA Compliant, WELL Building Standard)

Code 3346146

Finish



Polished Brass (PB)

Downloads

- **SESD Series Installation Instructions.pdf**
- (2) ESD-500-600-700-800-1500-2000-2100 Repair and Maintenance Guide.pdf
- Special Finishes Brochure.pdf
- Faucet and Soap Dispenser Brochure.pdf
- Additional Downloads

Videos

PVD Special Finishes

Details

· Finish: Polished Brass (PB)

· Power Type: Battery

· Height: 4" (102mm)

Width: 2" (51mm)

Maximum Deck Thickness: 2.00" (51mm)

Sensor Type: IRSoap Type: Foam

Features

Sensor Activated, Electronic, Hand Washing Foam Soap Dispenser with the following features:

- · Touch-free operation improves hand washing hygiene
- · Modular one-piece construction easily attaches to deck surface
- · All electronics in spout are sealed
- · Designed for drip free foam dispensing operation
- Motor assembly will be suspended the under sink deck and connected to the soap dispenser spout
- Motor assembly rotates 360 degrees for easy installation
- Battery life of 45,000 activations. 1-2 years based on usage.
- · Approx. 1,500 dispenses per foam soap bottle
- Ships with 2 bottles of ESD-325 non-scented, non-colored foam soap (1500ml per bottle)
- · Ships with battery pack (4 "D" Alkaline batteries included)
- · PVD Polished Brass Finish

Recommended specifications

Sloan Foam Soap Dispenser model number ESD-600. Polished Brass Dispenser. Supplied with 2 bottles of 1500ml soap.

Soap Refills

· ESD-325 (1500 ml)

Matching Faucets

Name	Description	
ETF-610	Optima® Hardwired-Powered Deck- Mounted Low Body Faucet	View
EBF-615	Optima® Battery or Turbine-Powered Deck-Mounted Low Body Faucet	View
EBF-625	Optima® Battery or Turbine-Powered Deck-Mounted Low Body BAA Compliant Faucet	View

Warranty

View Warranty Information

Notes

All information contained within this document subject to change without notice.







