



Stainless Steel Sink

ESS-3200

Product description

Standard, Stainless Steel 2-Station Wall-Mounted Deluxe Scrub Sink.

Compliances & Certifications



(BAA Compliant, BABAA Compliant, cUPC Certified)

Code ESS-3200

Downloads

- [Optima ESS-2000_3000 Series Installation Instructions.pdf](#)
- [Optima ESS-2000_3000 Series \(Spanish\) Installation Instructions.pdf](#)
- [EHS-1000-ESS-2000-3000 Series Repair and Maintenance Guide.pdf](#)
- [Sink Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Material:
 - Stainless Steel
- Enclosure Type: Stainless Solid
- Width: 64" (1626mm)

Features

Deluxe Double Station Stainless Steel Scrub Sink with Sensor Activated, 24 VAC, Chrome Plated Brass Hand Washing Faucets with the following features:

- Sink constructed from 14 gauge, Type 304 stainless steel with bead blast finish on sink bowl interior for superior wash-down characteristics
- Sloan OPTIMA Faucet for hands-free operation
- Knee activated soap dispenser for hands-free operation
- Sink is shipped pre-plumbed for easy installation
- 18 gauge "lift-out" style front access panel for easy maintenance access

Colors

Recommended specifications

Sloan Stainless Series Scrub Sink model no. ESS 3200-C-ADM (code no. 3850215). Product to be made of 14 gauge type 304 stainless steel with 2 Sloan ESF-40-S-P sensor faucets. 2 mixing valves supplied. Sink design to be ADA compliant.

Suggested Faucets

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

[Find a compatible faucet](#) for this sink.

[Find a matching soap dispenser](#) for this sink.

