



## SloanStone® Solid Surface Sink

### ELS-72000

#### Product description

SloanStone® Solid Surface 2-Station Lavatory System Sink.

#### Compliances & Certifications



(ADA Compliant\*, IGC 156, cUPC Certified)

#### Code ELS-72000

##### Downloads

- [ELS Installation Instructions.pdf](#)
- [ELS \(Spanish\) Installation Instructions.pdf](#)
- [ELS-72000:73000 Series Repair and Maintenance Guide.pdf](#)
- [Sinks - Full Line Brochure.pdf](#)
- [Performance Series Brochure.pdf](#)
- [Additional Downloads](#)

##### Videos

- [Sloan - Company Overview](#)

Details

- Material:
  - SloanStone Solid Surface
- Enclosure Type: Stainless Solid
- Mounting: Wall-Mounted
- Width: 50" (1270mm)


Features

Double Station Lavatory System with the following features:

- Dual protected integrated overflows
- Below deck Thermostatic Mixing Valve, standard
- All ADA and TAS lavatory standards achieved in a single design
- Aesthetically pleasing soft contoured one-piece continuous Basin
- Concealed Cabinet Frame constructed of heavy duty 16 gauge type 304 stainless steel accented with 18 gauge brushed stainless steel Front Panel

Performance Series sinks are a one-piece molded design with a slight angle outward at the side aprons to facilitate the fabrication process thus the overall length of the sink measured along the bottom edge may be up to ½" greater than noted length. Performance Series sinks are commonly available in one to four station lengths (most models) and cannot be seamed together to create a longer sink layout. Please note that scratches on dark, high gloss finishes may be noticeable and require periodic refinishing to maintain the glossy appearance. Take care placing and sliding objects that may scratch the surface.

Colors



Recommended specifications

SloanStone Series Sink model no. ELS 7X000 Lavatory Style Sink. Product to be molded using SloanStone solid surface. Sink design to be ADA compliant and IAPMO certified.

Suggested Faucets

|                                                                                   | Name    | Description                                             |                      |
|-----------------------------------------------------------------------------------|---------|---------------------------------------------------------|----------------------|
|  | EAF-350 | Optima® Battery-Powered Deck-Mounted Mid Body Faucet    | <a href="#">View</a> |
|  | SF-2100 | Standard Hardwired-Powered Deck-Mounted Low Body Faucet | <a href="#">View</a> |
|  | SF-2150 | Standard Battery-Powered Deck-Mounted Low Body Faucet   | <a href="#">View</a> |

Suggested Soap Dispensers

|                                                                                     | Name     | Description                             |                      |
|-------------------------------------------------------------------------------------|----------|-----------------------------------------|----------------------|
|  | ESD-600  | Sloan® Deck-Mounted Foam Soap Dispenser | <a href="#">View</a> |
|  | ESD-2100 | Sloan® Deck-Mounted Foam Soap Dispenser | <a href="#">View</a> |

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

\*Compliant with ADA accessibility requirements when installed according to ADA standards.

[Find a compatible faucet](#) for this sink.

[Find a matching soap dispenser](#) for this sink.

