



Sloan® Manual Flushometer

SLOAN BPW 1040-1.6-CP

Product description

1.6 gpf, Polished Chrome Finish, Fixture Connection Top Spud, Single Flush, Sloan® Exposed Manual Water Closet Bedpan Washer Flushometer.

Compliances & Certifications



(BAA Compliant, IAPMO, cUPC Certified)

Code 37897001

Finish

 Polished Chrome (CP)

Downloads

-  [Slimline Royal_Regal XL Exposed Installation Instructions.pdf](#)
-  [Slimline Bedpan Washer Repair and Maintenance Guide.pdf](#)
-  [Additional Downloads](#)

Videos

-  [Sloan - Company Overview](#)

Details

- Flush Volume: 1.6 gpf (6.0 lpf)
- Finish: Polished Chrome (CP)
- Valve: Diaphragm
- Valve Body Material: Semi-red Brass
- Fixture Type: Water Closet
- Fixture Connection: Top Spud
- Rough-in Dimension: 33.25" (845mm)
- Spud Coupling: 1.5" (38mm)
- Supply Pipe: 1" (25mm)

Features

Quiet, Exposed, Diaphragm Type, Chrome Plated Closet Flushometer with the following features:

- High chloramine resistant PERMEXsynthetic rubber diaphragm with Linear Filtered Bypass and Vortex Cleansing Action
- Metal Non-Hold-Open Foot Pedal with Triple Seal Handle Packing
- 1 I.P.S. Screwdriver Bak-Chek Straight Stop
- Free Spinning Vandal Resistant Stop Cap
- Ground Joint Tailpiece
- 1 Female Outlet, 1 Street Ell, Casing and Wall Flange to cover 1 pipe
- 1 1/2 Elbow Flush Connection from wall to 1 1/2 Vacuum Breaker
- High Back Pressure Vacuum Breaker Flush Connection
- Spud Coupling and Flange for 1 1/2 Exposed Top Spud
- Sweat Solder Adapter w/Cover Tube & Cast Wall Flange w/Set Screw
- Diaphragm, Handle Packing, Stop Seat and Vacuum Breaker molded from PERMEX rubber compound for Chloramine resistance
- Bedpan Washer Diverter Assembly with the following features:-
Solid One-piece Body Construction- Solid Brass Spray Arm-
Counter Balanced Pivot Assembly- Diverter Valve Wall Support

Valve Operating Pressure (Flowing)

15-80 psi (103 - 552 kPa). Specific fixtures may require greater minimum flowing pressure - consult manufacturer requirements.

Warranty

[View Warranty Information](#)

Notes


All information contained within this document subject to change without notice.

Looking for other variations of the SLOAN BPW 1040 product?

[View the general spec sheet with all options.](#)

[Find a compatible urinal](#) for this flushometer.

[Find a compatible water closet](#) for this flushometer.



NOTE: Flush connections shown in dotted lines not included.