



DropSpot™ Accessory

RC8000

Product description

Remote Water Chiller for DRS100.

Compliances & Certifications

ANSI STATE OF CALIFORNIA
Proposition 65

(ANSI/ASHRAE 18 Compliant, Proposition 65)

Code 33830006

Downloads

- [RC8000 Remote Chiller for DRS-100 Bottle Filler Installation Instructions.pdf](#)
- [Sloan DropSpot™ Bottle Fillers Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Features

- This 8 gallon (30.3 liter) per hour remote chiller is intended for indoor installation and its compact design conceals easily within walls and under countertops
- Requires 4 inches (102 mm) minimum clearance on top and front for proper ventilation
- Compatible with the DRS100 series bottle fillers
- Chilling to 50°F drinking water, based on 80°F inlet water and 90°F ambient
- Made of durable, vandal-resistant galvanized steel
- 3/8" (9.5mm) OD copper inlet and outlet tubing
- Refrigerant R-134A

Recommended specifications

The Remote Water Chiller shall be compatible with the Sloan DRS100 Bottle Filler, be intended for indoor installation, and provide a chilling capacity of 8.0 Gallons Per Hour of 50°F drinking water, based on 80°F inlet water and 90°F ambient. Cooling system shall use Refrigerant R-134A. Tubing connections to fixtures should be direct and no longer than seven (7) feet. Frame to be made of durable, vandal resistant galvanized steel.

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

