



Shown with optional SS-27-A shroud

Vitreous China Wall-Mounted Lavatory

SS-3065-CN-STG

Product description

Carbon Neutral, SloanTec® Glaze, Vitreous China Wall-Mounted Ledgeback Lavatory.

Compliances & Certifications



(ADA Compliant*, BAA Compliant, Carbon Neutral^, IAPMO, cUPC Certified)

Code 3873075T

Downloads

- [SS-3X65 Installation Instructions.pdf](#)
- [Vitreous China Lavatories Repair and Maintenance Guide.pdf](#)
- [Sinks - Full Line Brochure.pdf](#)
- [Fixture Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Centerset: 4"
- Nominal Dimensions: 20" x 21.5" x 5.75" (508 x 546 x 146mm)
- Lavatory Type: Wall-Mounted

Features

- White, vitreous china wall hung lavatory with rear overflow
- Great complement to all of Sloan's sensor faucet series
- IAPMO certified to meet or exceed ASME A112.19.2 standards
- Meets ADA guidelines and ANSI A117.1 requirements when installed accordingly
- Permanent SloanTec® hydrophobic antimicrobial glaze inhibits the growth and buildup of germs, bacteria, mold, mildew and mineral scale on the surfaces

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

*Compliant with ADA accessibility requirements when installed according to ADA standards.

^To obtain the certificate for your carbon-neutral products, please reach out to Sloan's customer support: customer.service@sloan.com.

All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.

