



Vitreous China Oval Undermount Lavatory

SS-3001-CN

Product description

Carbon Neutral, Vitreous China Undermount Lavatory.

Compliances & Certifications



(BREEAM Materials Credit, Carbon Neutral[^], EPD, HPD, IAPMO, LEED Credit, LEED HPD, Satisfies LEED Credits, cUPC Certified)

Code 3873001T

Downloads

- [Sloan SS-3001 Installation Instructions.pdf](#)
- [SS-3001 Cutout Template - PDF.pdf](#)
- [SS:ST:SU:WETS:WEUS Fixtures Repair and Maintenance Guide.pdf](#)
- [Vitreous China Lavatories Repair and Maintenance Guide.pdf](#)
- [Sinks - Full Line Brochure.pdf](#)
- [Fixture Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Nominal Dimensions: 16.5" x 19.5" x 7.5" (419 x 495 x 191mm)
- Lavatory Type: Undermount
- Shape: Oval

Features

- White, vitreous china undermount lavatory
- Great complement to all of Sloan's sensor faucet series
- Front overflow provides clean appearance
- All mounting hardware included
- IAPMO certified to meet or exceed ASME A112.19.2 standards
- Meets ADA guidelines and ANSI A117.1 requirements when installed accordingly

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

^To obtain the certificate for your carbon-neutral products, please reach out to Sloan's customer support: customer.service@sloan.com.

All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.

