



Optima® Hand Dryer

EHD-420-BN-HEPA

Product description

EHD-420, HEPA, 110/120V, Optima® Sensor-Operated Deck-Mounted Hand Dryer.

Compliances & Certifications



(ADA Compliant, BAA Compliant, BABAA Compliant, cUL Certified, Proposition 65)

Code 33660013

Finish



Brushed Nickel (BN)

Downloads

- [EHD Deck Mounted Installation Instructions.pdf](#)
- [EHD Deck Mounted Repair and Maintenance Guide.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Details

- Finish: Brushed Nickel (BN)
- Voltage: 110/120V
- Wattage: 60Hz
- Amperage: 20.0A
- Dryer Operation Timeout: 30s
- Mounting: Deck-Mounted
- Power Type: Hardwired
- Depth: 5.5" (165mm)
- Height: 5.5" (140mm)
- Width: 1.5" (38mm)

Features

Deck Mounted Dryer - Only Sold on AER-DEC® Sink:

- Note: Dryer can not be purchased on its own, must be on AER-DEC Sink
- 120V Dryer with US style, Plug Adapter
- Available in all of Sloan's Finishes
- Dryer comes standard with HEPA Filter to provide clean air
- Hand Dryer requires dedicated 20 Amp circuit for installation
- AER-DEC Sink Contains built-in, patented, air dam technology that eliminates backsplash and updrafts
- Many sink customization options - see Configurator.Sloan.com for all options
- Pairs great with Sloan Rush Street® faucets and soap dispensers
- Deck Mounted PVD Brushed Nickel Dryer
- Available with HEPA Filtration System proven to remove 99.97% of potentially present bacteria at 0.3 microns from the air

Recommended specifications

Sloan Rush St. Deck Mounted Hand Dryer model EHD-420. Product to have infrared sensor. Product must contain a HEPA filter and only be used on the AER-DEC sink basin with patented airdam technology. Dryer to be PVD Brushed Nickel finish. The product shall be tested and certified to industry standards including UL.

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

