



Standard Sensor Faucet

SF-2200

Product description

Standard Hardwired-Powered Deck-Mounted Gooseneck Body Faucet.

Compliances & Certifications



(ADA Compliant, ASME A112.18.1 Compliant, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, Green Globes Water, IAPMO, LEED Water, NSF-61/ CAN-61, NYC604.4, Proposition 65, Satisfies LEED Credits, TAS, UL Certified, UPC Low Lead Certified, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

Finish



Available in Polished Chrome (CP).

Downloads

- [SF Series Installation Instructions](#)
- [SF Series \(FR\) Installation Instructions](#)
- [Trim Plate Guide](#)
- [SF-2100:2150 and SF-2200:2250 Repair & Maintenance Guide](#)
- [Faucet and Soap Dispenser Brochure](#)
- [Faucets Brochure \(Spanish\)](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)
- [SF-2100/2150/SF-2200/2250/SF-2300/2350/ SF-2400/2450 Parts Breakdown](#)
- [SF-2100/2150/SF-2200/2250/SF-2300/2350/ SF-2400/2450 Module Replacement](#)

Features

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Brass Gooseneck Hand Washing Faucet with the following features:

- Adjustable Infrared Sensor Range
- 36" (914 mm) Long Sensor Cable
- 24" (610 mm) Long Flex Hose
- Filtered Solenoid Valve with serviceable Strainer Filter
- Includes Four (4) AA-size Batteries
- Includes appropriate Mounting Hardware
- 1 Year limited warranty

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

Compatible products



EHS-1000

[View product >](#)

Featured projects



Cornerstone Center of LaSalle Street

Chicago, IL

[View project >](#)