



SloanStone® Solid Surface Sink

ELS-43000

Product description

Standard, SloanStone® Solid Surface 3-Station Wall-Mounted Lavatory System Sink.

Compliances & Certifications



(ADA Compliant, BAA Compliant, BABAA Compliant, cUPC Certified, IGC 156)

Code ELS-43000

Downloads

- [ELS-4X000 Installation Instructions.pdf](#)
- [Sink Brochure.pdf](#)
- [SloanStone® Sinks Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Details

- Material:
 - SloanStone Solid Surface
- Enclosure Type: Stainless Solid
- Width: 85.625" (2175mm)

Features


Triple Station Lavatory System with the following features:

- Lavatory constructed of Non-porous SloanStone Solid Surface Material
- Lavatory supported by a heavy duty, 14 gauge stainless steel Mounting Frame
- In-line Thermostatic Water Mixing Valve
- Integral overflow drainage system
- Lavatory System is shipped pre-plumbed with Sloan Electronic Controls for easy installation

SloanStone sinks are a one-piece molded design with a slight angle outward at the side aprons to facilitate the fabrication process thus the overall length of the sink measured along the bottom edge may be up to ½" greater than noted length. SloanStone sinks are commonly available in one to four station lengths (most models) and cannot be seamed together to create a longer sink layout.

Please note that scratches on dark, high gloss finishes may be noticeable and require periodic refinishing to maintain the glossy appearance. Take care placing and sliding objects that may scratch the surface.

Colors



Recommended specifications

SloanStone Series Sink model no. ELS-43600. Product to be molded using SloanStone solid surface. Sink design to be ADA compliant and IAPMO certified.

Suggested Faucets

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

[Find a compatible faucet](#) for this sink.

[Find a matching soap dispenser](#) for this sink.

