



PWT™ Accessory

MCR-184

Product description

PWT System Waterproof Push Button Assembly.

Compliances & Certifications



(BAA Compliant)

Downloads

- [Programmed Water Technologies \(PWT\) Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Features

- Waterproof, thru-wall push button for use with any PWT controller. Activates water closets, lavatories and showers.
- Stainless-steel housing stands up to rough usage
- Through-wall or wall-mount push buttons for use with any PWT controller
- Activates water closets, lavatories and showers
- Various extension cord kits available to reach up to 200 feet
- MCR184A button offered in varying lengths for various wall thicknesses. See "A" Dimension:
 - MCR184A-1 PUSH BUTTON ASM "A"= 3.28 IN
 - MCR184A-10 PUSH BUTTON ASM "A"= 12.28 IN
 - MCR184A-12 PUSH BUTTON ASM "A"= 14.28 IN
 - MCR184A-14 PUSH BUTTON ASM "A"= 16.28 IN
 - MCR184A-2 PUSH BUTTON ASM "A"= 4.28 IN
 - MCR184A-22 PUSH BUTTON ASM "A"= 24.28 IN
 - MCR184A-3 PUSH BUTTON ASM "A"= 5.28 IN
 - MCR184A-4 PUSH BUTTON ASM "A"= 6.28 IN.
 - MCR184A-5 PUSH BUTTON ASM "A"= 7.28 IN.
 - MCR184A-6 PUSH BUTTON ASM "A"= 8.28 IN
 - MCR184A-7 PUSH BUTTON ASM "A"= 9.28 IN
 - MCR184A-8 PUSH BUTTON ASM "A"= 10.28 IN
 - MCR184A-9 PUSH BUTTON ASM "A"= 11.28 IN

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

