




## Optima® Sensor Faucet

EAF-200

### Product description

Optima® Hardwired-Powered Deck-Mounted Mid Body Faucet.

### Compliances & Certifications



(ADA Compliant, ASME A112.18.1 Compliant, ASSE 1070, BREEAM Materials Credit, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, EPD, Green Globes Credit, Green Globes Water, HPD, IAPMO, LEED Credit, LEED HPD, LEED Water, NSF-61/CAN-61, NYC604.4, Proposition 65, Satisfies LEED Credits, TAS, UPC Low Lead Certified, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

### Finish



Available in Polished Chrome (CP), Graphite (GR), Brushed Stainless (SF), Brushed Nickel (BN), Polished Brass (PB).

### Downloads

- [EAF 200\\_225\\_250\\_275 Installation Instructions](#)
- [Optima Plus EAF 200 Repair and Maintenance Guide](#)
- [Faucet Spray Heads Maintenance Guide](#)
- [Faucet and Soap Dispenser Brochure](#)
- [Additional Downloads](#)

### Videos

- [Sloan Connect App®](#)

---

## Features

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Die-Cast Metal Hand Washing Faucet with the following features:

- Double Infrared Sensors with Automatic Setting Feature and Microprocessor
- Automatic Self-adapting Sensor Technology
- Magnetic Solenoid Valve
- Water Supply Connection with Flexible High-pressure Hose and Strainer
- 6 Volt DC Plug-in Adapter (must be ordered separately for Less Adapter/Transformer (-LT) faucets)
- Appropriate Mounting Hardware included
- 3 year limited warranty

---

## Warranty

[View Warranty Information](#)

---

## Notes

All information contained within this document subject to change without notice.

Compatible products



**ESD-2000**

[View product >](#)

Featured projects



**Wrigley Clubhouse**

Chicago, IL

[View project >](#)



**Westwood Elementary School**

Stillwater, OK

[View project >](#)

Featured markets



**Government**

Reduce costs, streamline operations, and prevent vandalism in demanding public

[View featured market >](#)