

**BASYS® Sensor Faucet****EFX-380****Product description**

BASYS® Turbine-Powered Deck-Mounted Low Body BAA Compliant Faucet.

Compliances & Certifications

(ADA Compliant, ASME A112.18.1 Compliant, ASSE 1070, BAA Compliant, CalGreen Compliant, CEC Compliant, EPD, HPD, IAPMO, NYC604.4, Proposition 65, Satisfies LEED Credits, TAS, UPC Low Lead Certified, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

**Finish**

Available in Polished Chrome (CP).

Downloads

- ↗ EFX 3Xx_6Xx Capacitance Installation Instructions
- ↗ EFX 3Xx_6Xx (SP) Installation Instructions
- ↗ Trim Plate Guide
- ↗ Capacitance FAQs Repair and Maintenance Guide
- ↗ Sloan BASYS Brochure
- ↗ Additional Downloads

Videos

- ↗ Sloan – Company Overview
- ↗ BASYS® Faucet Installation and Features
- ↗ BASYS® Faucet Installation Low Height Model

Features

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Die-Cast Metal Hand Washing Faucet with the following features:

- One tool service
- Solenoid housed in removable carrier that includes supply strainer
- Integral water supply shut off
- Vandal resistant spray insert, key housed inside faucet body
- All electronics sealed to IP-67
- Gold plated electrical contacts
- Above deck individual diagnostic indicators for battery life, solenoid condition, and power-up mode
- Flexible, high pressure supply hose, 3/8" compression connections
- Bi-stable magnetic solenoid
- Four (4) "AA" alkaline batteries
- Double infrared sensors with automatic setting feature
- Single hole installation (pedestal)
- Includes all mounting hardware
- 3 year limited warranty

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

Compatible products



ESD-500

[View product >](#)

Featured projects



Burns Science and Technology Char-

Oak Hill, FL

[View project >](#)