



Retrofit Flushometer

V700AA-CP

Product description

Polished Chrome Finish, Fixture Connection Top Spud, Battery, Run-on Detector, 10.5" Vacuum Breaker, Retrofit Exposed Urinal/Water Closet Run-on Detector Replacement Flushometer.

Compliances & Certifications



(ASSE 1070, FCC Compliant, IAPMO, cUPC Certified)

Code 33212005

Finish

 Polished Chrome (CP)

Downloads

- [Sloan Track-on Run-on Detector V700AA Vacuum Breaker Tube - Flushometer Retrofit Installation Instructions.pdf](#)
- [Sloan Track-on Run-on Detector V700AA Vacuum Breaker Tube - Flushometer Retrofit Repair and Maintenance Guide.pdf.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan Track-on Run-on Detector - Flushometer or Vacuum Breaker Retrofit](#)
- [Sloan - Company Overview](#)

Details

- Finish: Polished Chrome (CP)
- Power Type: Battery
- Battery Life: 6 years
- Fixture Type: Urinal/Water Closet
- Fixture Connection: Top Spud
- Vacuum Breaker: 10.5"
- Special Features 1: Run-on Detector

Features

The V700AA battery-operated, chrome-plated retrofit tube is compatible with any standard-height, top-spud commercial flushometer.

- Audible local alert noise rating: 95 dBA.
- Detects water run-on lasting over 30 seconds.
- Battery operated (2-AA size batteries)
- Audible local alert battery rating up to 72 hours of continuous alert.
- Reduce water waste with early detection.

Electrical specifications

- Battery Life: 6 years

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

Looking for other variations of the V700AA product? [View the general spec sheet with all options.](#)

[Find a compatible urinal](#) for this flushometer.

[Find a compatible water closet](#) for this flushometer.

