

**Standard Sensor Faucet****SF-2150****Product description**

Standard Battery-Powered Deck-Mounted Low Body Faucet.

Compliances & Certifications

(ADA Compliant, ASME A112.18.1 Compliant, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, Green Globes Water, LEED Water, NSF-61/CAN-61, NYC604.4, Proposition 65, Satisfies LEED Credits, TAS, WELL Building Standard)

Listed compliances and certifications may vary based on product variation.

**Finish**

Available in Polished Chrome (CP).

Downloads

- ↗ SF Series Installation Instructions
- ↗ SF Series (FR) Installation Instructions
- ↗ Trim Plate Guide
- ↗ SF-2100:2150 and SF-2200:2250 Repair & Maintenance Guide
- ↗ Faucet and Soap Dispenser Brochure
- ↗ Additional Downloads

Videos

- ▶ Sloan – Company Overview
- ▶ SF-2100/2150/SF-2200/2250/SF-2300/2350/SF-2400/2450 Parts Breakdown
- ▶ SF-2100/2150/SF-2200/2250/SF-2300/2350/SF-2400/2450 Module Replacement

Features

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Brass Pedestal Hand Washing Faucet with the following features:

- Adjustable Infrared Sensor Range
- 36" (914 mm) Long Sensor Cable
- 24" (610 mm) Long Flex Hose
- Filtered Solenoid Valve with serviceable Strainer Filter
- Includes Four (4) AA-size Batteries
- Includes appropriate Mounting Hardware
- 1 Year limited warranty

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

Compatible products



ELS-41000

SloanStone® Solid Surface 2-Station Wall-Mounted Lavatory System Sink

[View product >](#)



ELS-42000

SloanStone® Solid Surface 2-Station Wall-Mounted Lavatory System Sink

[View product >](#)

Featured collections



Lake Street®

Circular forms and natural tones

[View collection >](#)